

P

WORKiO – Fits easily into your workplace

compact, networkable workgroup solution




Combining copier and printer functions in a single platform with ledger-size capability, the DP-1520P provides a practical, cost-effective solution for office document processing. And with the standard 10/100 Ethernet interface, it is ready to serve as a network printer. Its compact "wingless" design enables installation almost anywhere, even on a desktop corner, saving valuable office space. As with all WORKiO platforms, the DP-1520P is designed for maximum ease of use.

"wingless" for true compactness

By moving the output tray "inside" and eliminating protruding paper trays, WORKiO's small footprint represents virtually all the space required for setup.

high-speed digital copier

The DP-1520P quickly copies at up to 15 ppm with sharp 600dpi quality, provides ledgersize input and output, and improves efficiency with Double Exposure, 2-in-1 copying, Digital SkyShot and Image Rotation. An Automatic Document Feeder is available as an option to accelerate copying of multi-page originals. And with standard electronic sorting, you won't have to hand-sort those larger copy jobs. In addition to 600 x 600 dpi resolution and a 256 level gray scale, the DP-1520P provides consistent optimum image quality by monitoring and adjusting for room temperature and humidity conditions.



Double Exposure WORKiO Original


By selecting the Double Exposure key located on the control panel, users can make quality copies of double-sided documents on a single sheet of paper without the black borders, even if the platen cover is open. This is especially convenient for copying small double-sided originals such as ID and insurance cards, checks and receipts.



Digital SkyShot

By making a copy with the cover open, this convenient function eliminates annoying black borders that also waste toner.





2-in-1 Copying

This handy feature saves paper by fitting two reduced images on one sheet.

Image Rotation

No matter the orientation of the original, this feature delivers accurate copies.



Digital imaging w ease and verse

Welcome to the world of WORKiO digital imaging platforms where digital communications and imaging technology converge. Integrating the multiple functions of copying and printing into one compact, easy-to-use solution, the WORKiO DP-1520P empowers your workplace with more versatility, productivity and network connectivity to truly become "the office power tool".


high-speed network ready ledger-size printer

When connected to your office LAN via the standard 10Base-T/100Base-TX Ethernet interface, the DP-1520P serves as a high-speed, high-quality laser printer capable of handling documents up to ledger size. Even when performing quickly at up to 15 ppm (letter size), the printer maintains sharp 1,200 dpi equivalent x 600 dpi*¹ image quality. This standard connectivity will allow all the PCs on your LAN to take advantage of the printing capabilities and cost savings afforded by the WORKiO DP-1520P. And for connecting to an individual PC, a fast USB interface is also provided as standard equipment.



ith greater


atility.



network interface

WORKiO is about sharing networked resources and multiplying their effectiveness. With the standard 10Base-T/100Base-TX Ethernet interface, all networked PCs can access the power and performance of network printing from the desktop. Optional PCL 6/PS3 expand printing versatility and 1200 dpi x 600 dpi equivalent quality.

- *1 Optional Printer Controller Module is required.
- *2 Optional Multi Page Description Language Controller Module is required.



VORK

Document Manager software

Image Viewer enables the user to easily view, annotate or attach memos to the file. With "drag and drop" simplicity, users can manage and edit documents from their desktop PC, and even share them with other PCs.

Status monitor

Status Monitor lets users check the current status of the WORKiO DP-1520P without leaving their desks.



environment-friendly design

The EnergyStar[®] compliant DP-1520P contributes to lower Total Cost of Ownership (TCO). In sleep mode, energy requirements drop to virtually nothing. The work enviroment is also quieter and cleaner thanks to reduced noise and ozone emissions.



Options & Specifications

DP-1520P Options

General	
Туре	Desktop
Copy / Print Process	Laser Indirect Electrostatic
Developing Process	Dry Dual Component
Automatic Document Feeder (Option)	50 sheets (Letter, 20lb, 75 g/m ²)
Paper Feed	Std. 550-sheet paper tray x 1 + 50-sheet bypass
	Max. 1,150 sheets with option
Paper Weight	Paper Tray : 16 to 24 lb (60 to 90 g/m ²)
	Bypass: 15 to 34 lb (55 to 133 g/m ²)
Power Requirements	AC 120, 60 Hz, 12A
Power Consumption	Max.: Less than 1.3 kW
	Power Saver mode: Approx. 19 W
	Sleep mode: Approx. 8.5 W
Warm-up Time	Approx. 30 sec. (Main power switch ON)
	Approx. 30 sec. (Sleep mode)
Dimensions (W x D x H)*1	22.0" x 21.9" x 18.1" (558 x 557 x 460 mm)
(H=Height To Platen Glass)	(Excluding optional equipment)
Weight*1	Approx. 93.3 lb (42.3 kg) (Excluding optional equipment)
Digital Copier	
Resolution	600 x 600 dpi
Gray Scale	256 steps
Multi Copy Speed*2	Up to 15 cpm
Maximum Original Size	Ledger
Copy Size	Ledger-Invoice
Copy Ratio	Enlargement (fixed)
	200 %, 155 %, 129 %, 121 %
	Reduction(fixed)
	79 %, 77 %, 65 %, 61 %, 50 %
Zoom (variable)	50-200% (in 1% increments)
Multiple Copy	1 to 999, Automatic reset to 1
Exposure Control	Text, Text/Photo, Photo
Sort Memory (Standard) (Option)	16 MB
	Base Memory plus 16 MB / 64 MB / 128 MB
	12 GB (with optional 40 GB HDD)

Printer	
Network Printer Interface	Ethernet 10Base-T/100Base-TX
Communication Protocol	TCP/IP, LPD (LPR), IPP*4, AppleTalk (PS), SNMP, DHCP
Local Printer Interface	USB 1.1
Printer Language (Standard)	Panasonic Printing System for Windows®
(Option)	PCL 5e Emulation, PCL 6 Emulation
	Adobe [®] PostScript [®] 3 [™]
Printing Speed*2	Up to 15 ppm
Paper Size	Paper Tray: Ledger-Invoice
	Bypass: Ledger-Envelope (#10)
Printing Resolution	1,200 dpi equivalent x 600 dpi (PCL, PS)
	600 dpi x 600 dpi, 300 dpi x 300 dpi (GDI, PCL, PS)
Printer Memory	20 MB
PCL/PS Spool Memory	6 GB with optional 40 GB HDD
Compatible Client Operating Systems	Windows® XP/2000/Server 2003*5, 98, Me, Windows NT® 4.0
	MacOS 8.6-10.2*3
Compatible Network Operating Systems	Windows NT 4.0, Windows 2000/Server 2003*5, Unix (LPR)*4, Linux (LPR)*4

Dimensions



WORKIO

Notes

1 Dimensions and weight are approximate.
2 Speeds are contingent, among other things, upon applications, machine configuration, and status. Individual speeds may vary.
3 Multi Page Description Language Controller Module option required.
4 Printer Conteller Module or Multi Page Description Language Controller Module option required.
5 Expected availability in the 3rd quarter of 2004.

Design and specification are subject to change without notice. Not all options may be available at the time of notification.

Microsoft® Windowst® and Windows NT® are registered trademarks of Microsoft Corporation. Adobe, PostScript and PostScript 3 are either registered trademarks or trademarks of Adobe Systems incorporated in the United States and/or other countries. PCL is either trademark or registered trademark of Hevelt-Packard Company and/or its subsidiaries. WORROP is a registered trademark of Missibia Electric Industria (Oa, Lud. All other brand or product name are the property of their respective holders.

ISO 9001

Quality Management System Our business processes which produce document, information and network products, from manufacturing to marketing, conform

to ISO9001 Quality Management Systems standard. Design, development, manufacture, installation, repair and maintenance of document, information and network products. their associated devices and consumables. In addition, the plants outside Japan have acquired ISO9001 certification.





As an Energy Star® Partner, Panasonic has determined that this product meets the Energy Star® Guidelines for energy efficiency.