

# Centralized Document Management Solution



pms

- Fast 15 ppm/cpm Speed
- Lightweight, Space-Saving Desktop Size
- 600 x 600 dpi Copying/Printing Resolution
- PDMS (Panasonic Document Management System) Software

## All You Need to Launch Your Office into the Digital Age

of a state-of-the-art Super G3 fax. Hooked up to

your personal computer, WORKiO becomes a

 $\mathbf{P}$ anasonic is ushering in the millennium with a revolutionary concept in document processing. Introducing WORKiO—a new generation of imaging systems born from the convergence of cutting-edge digital technologies, combined with the unrivaled manufacturing expertise and vast accumulated experience of an electronics leader.

professional-quality laser printer, and highresolution scanner. To control all these advanced functions, top-of-the-line WORKiO systems come bundled with PDMS (Panasonic Document Management System) software for easy editing and annotation.



# The Compact, One-Stop D



PDMS (Panasonic Document Management System) is a set of five different types of software designed to streamline office workflow. Installed in your PC, PDMS provides compre-



hensive control over the WORKiO 150's operation and the image data it generates. When you scan documents with the DP-150PA or DP-150FX, PDMS



the user up-to-date on machine functioning and indicates problems, such as a paper jam, empty paper cassette or depleted toner.





#### 15 Copies-Per-Minute Speed

Thanks to a high-speed digital image processing system and newly designed shorter paper feed path, WORKiO 150 models can produce up to 15 copies per minute.

#### Clear 600 x 600 dpi Resolution, 256-Level Gray Scale

Using full digital processing and a laser-beam diode to maintain high-stability image reproduction, as well as quick exposure operation, WORKiO models deliver 600 dpi printout resolution for extremely sharp, crisp copies. Even halftone photo originals can be reproduced with maximum clarity thanks to 256-level halftone digital gray scale circuitry.

#### 2-IN-1 Paper Saving Function

This unique function helps reduce paper usage by allowing you to automatically fit two reduced-size originals on a single copy page.

#### 2-Sided Copying

To further eliminate paper waste and cut down on document volume, the DP-150FX lets you copy on both sides of a letter-size page.

#### **Digital Sky Shot**

Panasonic's unique Digital Sky
Shot, available on the DP-150A,
DP-150PA and DP-150FX, allows
you to make copies of small or
odd-shaped originals with the
platen cover open, without creating a surrounding black background.



#### **Electronic Sorting Output**

Electronic sorting allows easy collating and sorting without adding an extra multi-bin sorter unit.

#### 30-Sheet Automatic Document Feeder



You can load an ADFequipped WORKiO with legal-size or letter-size documents up to 30 pages long for automatic feeding and scanning.



#### 600 dpi High Scanning Resolution

Scanning resolution is selectable among  $600^{\circ}$ , 400, 300, 200 and 100 dpi. You can use 100 or 200 dpi scanning when you want to lighten your image data load, and high resolution 600 dpi scanning when you want your ultimate printout to be as sharp and detailed as possible.

# cument Handling Center

#### **TWAIN Compatible Driver**

The scanner driver incorporated into the DP-150PA and DP-150FX is TWAIN compatible to ensure easy connection to your existing PC and its applications.

#### 2-Sided Printing

The DP-150FX can be set to print on both sides of a lettersize page to conserve paper and reduce document bulk.





### 33.6kbps Super G3 Transmission, 3 Seconds-Per-Page Transmission Speed



The DP-150FX's Super G3<sup>3</sup> fax modem uses ITU-T V.34 compliant technology to transfer a high-quality image in as few as three seconds<sup>4</sup>.

#### **Super-Fine Resolution**

During fax communications, the DP-150FX has a scanning resolution equivalent to 400 x 400 dpi, allowing you not only to receive documents transmitted in the Super Fine mode, but to send Super Fine transmissions as well.

#### **Dual Access Operation**

With the DP-150FX, you can receive fax documents even when the machine is already engaged in a copying job.

#### 100-Station Autodialer

You can store up to 100 numbers in the DP-150FX's telephone directory for rapid access.

#### **Remote Diagnostics System**

If a problem should occur, the fax-equipped DP-150FX immediately sends an error message via phone lines to a Panasonic service center for quick diagnosis and troubleshooting, minimizing downtime<sup>5</sup>.

#### **Check & Call Function**

Developed in order to ensure a quicker service response, this unique function automatically reports low toner status and certain mechanical problems to a service center<sup>5</sup>.

### Easy, Space Saving and **Environmentally Friendly**

#### Compact, Wingless Design

WORKiO models are amazingly compact and lightweight, sitting easily on the corner of a desk. All feature a unique wingless design that enables documents to collect inside an internal opening, rather than onto a protruding external



tray. An easy-to-access front-loading cassette makes replacement of paper simple and quick.

#### **TONER SAVE Mode**

TONER SAVE mode maximizes toner yield and minimizes waste, ensuring extremely stable copy quality over an extended period, while minimizing toner consumption.

#### **ENERGY SAVER Mode**

Thanks to a Super Power Saver function, WORKiO models' power consumption is dramatically reduced in the sleep mode.

WORKiO 150 Series products proudly display the Energy Star label, the symbol for energy efficiency





Recommended PC requirements for PDMS software: PC—IBM PC/AT compatible, faster than Pentium II; RAM—more than 64MB (Windows 95/98), more than 128MB (Windows NT 4.0, Windows 2000)

\*\*Interpolated resolution.

\*\*Super G3 is the classification given to a type of facsimile that conforms to the 33.6kbps transmission method standardized in accordance with the ITU-T V.34 recommendation.

<sup>4</sup> Transmission time applies to memory transmission of text data using ITU-T Image No. 1 between the same models at modern speeds over 26.4kbps. Transmission time may vary in actual usage.

<sup>5</sup>This service is not available in some areas.





**Choice** With a complete line of WORKiO models to choose from, you can select just the features you need—from the basic essentials to advanced enterprise capabilities.





- · Compact, Lightweight Design
- Fast 8.3-Second First Copy, 15 Copies-Per-Minute Speed
- 600 x 600 dpi Copying Resolution, 256-Level Gray Scale
- PHOTO, PHOTO/TEXT Mode Selection
- Digital Sky Shot
- Electronic Sorting Output
- 30-Sheet Automatic Document Feeder
- TONER SAVE Mode
- ENERGY SAVER Mode
- Optional 250-Sheet Paper Cassette Available













#### **DP-150PA** Digital Copier/ Scanner/Printer with ADF

- PDMS (Panasonic Document Management System) Software
- Compact, Lightweight Design
- 15 Pages/Copies-Per-Minute Speed
- 600 x 600 dpi Copying/Printing Resolution, 256-Level Gray Scale
- PHOTO, PHOTO/TEXT Mode Selection
- Digital Sky Shot
- · Electronic Sorting Output
- 30-Sheet Automatic Document Feeder
- TWAIN Compatible Scanner Driver
- TONER SAVE Mode
- ENERGY SAVER Mode
- Optional 250-Sheet Paper Cassette Available















#### **DP-150FX** Digital Copier with ADF/ Scanner/Printer/Fax/Duplex

- PDMS (Panasonic Document Management System) Software
- Compact, Lightweight Design
- 15 Pages/Copies-Per-Minute Speed
- 600 x 600 dpi Copying/Printing Resolution, 256-Level Gray Scale
- PHOTO, PHOTO/TEXT Mode Selection
- 2-Sided Copying and Printing
- Digital Sky Shot
- Electronic Sorting Output
- 30-Sheet Automatic Document Feeder
- 33.6kbps Super G3 Transmission, 3 Seconds-Per-Page Transmission Speed
- Super-Fine Resolution
- 100-Station Autodialer
- Remote Diagnostics System
- TWAIN Compatible Scanner Driver
- · Check & Call Function
- TONER SAVE Mode
- ENERGY SAVER Mode
- Optional 250-Sheet Paper Cassette Available

### Superior Performance, Rugged Reliability, Maximum Efficiency



#### **High Image Quality**

WORKiO products boast 600 dpi copying and printing resolution for crisp, high contrast digital quality images.



#### Easy to Use

All WORKiO models are amazingly easy to use, with ergonomic front panels that put complete control of their advanced functions at your fingertips.



#### **Simple Maintenance**

Reliability is built in, so you can count on trouble-free operation. Maintenance is amazingly simple and, if a problem should occur, fax-equipped WORKiO 150 models contact a Panasonic service expert all by themselves.



#### **Space Saving**

WORKiO lets you replace multiple stand-alone office machines, including copiers, printers, scanners and faxes, with a single compact system, saving you valuable office space. All models feature a unique wingless design to fit into the most cramped circumstances.



#### **SPECIFICATIONS**

#### DP-150A

Copier	
Copy/Print Process	Laser/Electrostatic Photographic Method
Process	Ultra Magnefine™ Toner
Warm-Up Time	Approx. 20 Seconds (68°F)
First Copy Speed	8.3 Seconds
Resolution	600 x 600 dpi (Interpolated)
Gray Scale	256 Levels
Multi Copy Speed	15 cpm (Letter Size)
Maximum Original Size	8.5" x 14" (Legal Size)
Maximum Copy Size	Legal
Copy Size	Legal-Invoice Via Paper Tray
	Legal-Invoice Via Sheet Bypass
Reduction Ratios	Preset: 79%, 65%, 61%
	Variable: 99%-50% in 1% Increments
Enlargement Ratios	Preset: 129%
	Variable: 101%-200% in 1% Increments
Paper Feed	Max. 550 Sheets with Optional 250-Sheet
	Paper Cassette
Exposure Control	Automatic/Manual Plus Photo Mode
General	
Туре	Desktop
Electrical Requirements	AC 120V, 60Hz
Dimensions (W x D x H)	19.5" x 18.6" x 15.1"
Weight	49 lbs

Dimensions and weight are approximate. Specifications are subject to change. Microsoft®, Windows® and Windows NT® are registered trademarks of Microsoft Corporation. WORKIO is a trademark of Matsushita Graphic Communication Systems, Inc.
All product names are trademarks of their respective holders.

#### DP-150PA

Copier	
Copy/Print Process	Laser/Electrostatic Photographic Method
Process	Ultra Magnefine™ Toner
Warm-Up Time	Approx. 25 Seconds (68°F)
First Copy Speed	8.3 Seconds
Resolution	600 x 600 dpi (Interpolated)
Gray Scale	256 Levels
Multi Copy Speed	15 cpm (Letter Size)
Maximum Original Size	8.5" x 14" (Legal Size)
Maximum Copy Size	Legal
Copy Size	Legal-Invoice Via Paper Tray
	Legal-Invoice Via Sheet Bypass
Reduction Ratios	Preset: 79%, 65%, 61%
	Variable: 99%-50% in 1% Increments
Enlargement Ratios	Preset: 129%
· ·	Variable: 101%-200% in 1% Increments
Paper Feed	250-Sheet Paper Tray Plus 50-Sheet Bypass
	Max. 550 Sheets with Optional 250-Sheet
	Paper Cassette
Exposure Control	Automatic/Manual Plus Photo Mode
Printer	
Print Resolution	600 dpi/300 dpi
Print Speed	15 ppm
Operating Systems	Windows 95/98, Windows NT 4.0, Windows 2000
Emulation	Windows GDI
Interface	Bi-Directional Parallel (IEEE 1284, ECP Mode)
General	
Type	Desktop
Electrical Requirements	AC 120V. 60Hz
Dimensions (W x D x H)	19.5" x 18.6" x 15.1"
Weight	49 lbs
TTOIGHT	40 ID3

\*Based on ITU-T image No. 1 scanned in Standard mode

Panasonic and National are the brand names of Matsushita Electric.

Panasonic Canada Inc. 5770 Ambler Drive, Mississauga, ON L4W 2T3 TEL(905) 238-2296, FAX(905) 238-2388 http://www.panasonic.ca

#### DP-150FX

DP-150FX	
Copier	
Copy/Print Process	Laser/Electrostatic Photographic Method
Process	Ultra Magnefine™ Toner
Warm-Up Time	Approx. 25 Seconds (68°F)
First Copy Speed	8.3 Seconds
Resolution	600 x 600 dpi (Interpolated)
Gray Scale	256 Levels
Multi Copy Speed	15 cpm (Letter Size)
Maximum Original Size	8.5" x 14" (Legal Size)
Maximum Copy Size	Legal
Copy Size	Legal-Invoice Via Paper Tray
	Legal-Invoice Via Sheet Bypass
Reduction Ratios	Preset: 79%, 65%, 61%
	Variable: 99%-50% in 1% Increments
Enlargement Ratios	Preset: 129%
	Variable: 101%-200% in 1% Increments
Paper Feed	250-Sheet Paper Tray Plus 50-Sheet Bypass
	Max. 550 Sheets with Optional 250-Sheet
	Paper Cassette
Exposure Control	Automatic/Manual Plus Photo Mode
Printer	
Print Resolution	600 dpi/300 dpi
Print Speed	15 ppm
Operating Systems	Windows 95/98, Windows NT 4.0, Windows 2000
Emulation	Windows GDI
Interface	Bi-Directional Parallel (IEEE 1284, ECP Mode)
Fax	
Compatibility	ITU-T Group 3 (V.34, V8), ECM
Document Size	Max. 10.0" x 39.3"
Resolution	400 x 400 dpi
Transmission Speed	Approx. 3 Seconds/Page
Coding Scheme	MH, MR, MMR
Modem Speed	33600/31200/28800/26400/24000/21600/
	19200/16800/14400/12000/9600/7200/4800/
	2400bps with Automatic Fallback
Image Memory Capacity	11
	(Plus Approx. 60/120/240* Pages
	w/ Optional Memory Card)
General	
Туре	Desktop
Electrical Requirements	AC 120V, 60Hz
Dimoneione (W v D v H)	10.51110.01115.11

Dimensions (W x D x H) 19.5" x 18.6" x 15.1"

Weight 49 lbs \*Based on ITU-T image No. 1 scanned in Standard mode.


#### **Options**



DA-DS150 Optional 250-Sheet Paper Cassette




UE-403171 Handset (for DP-150FX)



UE-410045, UE-410046 and UE-410047 1MB, 2MB and 4MB Memory Cards (for DP-150FX)

#### **Dimensions**



#### Consumables



DQ-UH32A Drum Unit